


NOCTIS SOLARIS

SLI029060CW_CZUJNIK

LED luminaire NOCTIS SOLARIS, with a power of 200 W. It has a very high degree of protection IP65, providing protection against the ingress of dust and water jets. IK08 class provides impact resistance. It shines with a cold light (6000K). Narrow beam angle 90° gives directional light so that selected surfaces can be better exposed. Designed for surface mounting.



Power	200 W
Colour temperature	6000 K
Beam angle	90 °
Degree of protection (IP)	IP65



Voltage	3.2 V
Colour of light	CW
IK	08

Technical data

Code	SLI029060CW_CZUJNIK
Power	200 W
Voltage	3.2 V
Energy consumption	200 kWh/1000h
Protection class	III
Luminous flux**	1800 lm (360°)
Colour temperature	6000 K
Colour of light	CW
Beam angle	90 °
RA	>70
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	3 years
Lifespan	17000 h
(On/Off)	15000
Housing material	Aluminum+PC LENS
IK	08
Degree of protection (IP)	IP65
Colour	Gray
Dimension (AxBxC)	290x215x24 mm
For use	Outside
Assembly method	On the ceiling
Application	EXT
Made in	PRC
Other	MV sensor, max 10m ,

Logistics data

Bulk packaging	5 pcs.
Quantity per pallet	120 pcs.
Gross weight (1 pcs.)	2.6 kg



Related documents

 User manual Declaration of Conformity