

# LED G9

WOJ+14437

LED source LED G9 4,5 W. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in decorative luminaires, furniture fittings, and wall sconces equipped with a G9 base.. It is characterised by a high light efficacy 118 lm/W. It is made of high-quality components, supported by a 5-year warranty. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Wide beam angle 300° ensures even illumination of the room.



|                 |                      |                    |               |
|-----------------|----------------------|--------------------|---------------|
| Power           | <b>4,5 W</b>         | Voltage            | <b>230 V</b>  |
| Luminous flux** | <b>530 lm (360°)</b> | Colour temperature | <b>4000 K</b> |
| Colour of light | <b>Neutral white</b> | Beam angle         | <b>300 °</b>  |
| Socket          | <b>G9</b>            |                    |               |

## Technical data

|                              |               |
|------------------------------|---------------|
| Code                         | WQJ+14437     |
| Power                        | 4,5 W         |
| Nominal current              | 40 mA         |
| Voltage                      | 230 V         |
| Energy efficiency class      | E             |
| Energy consumption           | 5 kWh/1000h   |
| Frequency                    | 50HZ Hz       |
| Power supply included        | +             |
| Power factor                 | 0.5           |
| Useful luminous flux*        | 530 lm (360°) |
| Luminous flux**              | 530 lm (360°) |
| Lamp efficacy                | 118 lm/W      |
| Colour temperature           | 4000 K        |
| Colour of light              | Neutral white |
| Beam angle                   | 300 °         |
| RA                           | 80            |
| Uniformity of color SDCM max | 5             |
| Dimmable                     | No            |
| Working temperature range    | -20/+40 °     |
| Lifespan                     | 50000 h       |
| Socket                       | G9            |
| Dimension (AxBxC)            | 18x57,5 mm    |
| For use                      | N/A           |
| Made in                      | PRC           |

## Logistics data

|                       |           |
|-----------------------|-----------|
| Bulk packaging        | 240 pcs.  |
| Quantity per pallet   | 4800 pcs. |
| Gross weight (1 pcs.) | 0.022 kg  |

## Related documents



 Declaration of Conformity

