


LED G9

W0J+14436

LED source LED G9 4,5 W. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in decorative luminaires, furniture fittings, and wall sconces equipped with a G9 base.. It is characterised by a high light efficacy 113 lm/W. It is made of high-quality components, supported by a 5-year warranty. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Wide beam angle 300° ensures even illumination of the room.



Power	4,5 W
Luminous flux**	510 lm (360°)
Colour of light	WW
Socket	G9

Voltage	230 V
Colour temperature	3000 K
Beam angle	300 °

Technical data

Code	WQJ+14436
Power	4,5 W
Nominal current	40 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	5 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.5
Useful luminous flux*	510 lm (360°)
Luminous flux**	510 lm (360°)
Lamp efficacy	113 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	5 years
Lifespan	50000 h
(On/Off)	25000
Socket	G9
Dimension (AxBxC)	18x57,5 mm
For use	N,A
Made in	PRC

Logistics data

Bulk packaging	240 pcs.
Quantity per pallet	4800 pcs.
Gross weight (1 pcs.)	0.016 kg

Related documents



 Declaration of Conformity

