

LED GLS

WOJ+14490

LED source LED GLS 20 W with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 120 lm/W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations.



Power	20 W	Voltage	230 V
Luminous flux**	2400 lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	160 °
Socket	E27		

Technical data

Code	WQJ+14490
Power	20 W
Nominal current	165 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	20 kWh/1000h
Frequency	50HZ Hz
Power factor	0.5
Useful luminous flux*	2400 lm (360°)
Luminous flux**	2400 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	160 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E27
Dimension (AxBxC)	ø60x132 mm
For use	N,A
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	2500 pcs.
Gross weight (1 pcs.)	0.088 kg

Related documents



 Declaration of Conformity

