


LED G9

W0J+14163

LED source LED G9 7 W. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in decorative luminaires, furniture fittings, and wall sconces equipped with a G9 base.. It is characterised by a high light efficacy 110 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Wide beam angle 270° ensures even illumination of the room.



Power	7 W
Luminous flux**	770 lm (360°)
Colour of light	WW
Socket	G9

Voltage	230 V
Colour temperature	3000 K
Beam angle	270 °

Technical data

Code	WQJ+14163
Power	7 W
Nominal current	45 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	7 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.5
Useful luminous flux*	770 lm (360°)
Luminous flux**	770 lm (360°)
Lamp efficacy	110 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	G9
Dimension (AxBxC)	21x71 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	500 pcs.
Quantity per pallet	15000 pcs.
Gross weight (1 pcs.)	0.029 kg

Related documents

 Declaration of Conformity Photometric file

