

CABINET

SLI040038NW

LED luminaire CABINET, with a power of 2,9 W. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Designed for surface mounting.



Power	2,9 W	Voltage	12 V
Luminous flux*	170 lm (120°)	Colour temperature	4000 K
Colour of light	Neutral white	Beam angle	120 °
Degree of protection (IP)	IP20		

Technical data

Code	SLI040038NW
Power	2,9 W
Nominal current	242 mA
Voltage	12 V
Energy efficiency class	G
Energy consumption	4 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	170 lm (120°)
Luminous flux**	170 lm (360°)
Lamp efficacy	58 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	120 °
RA	80
Uniformity of color SDCM max	5
Dimmable	Yes
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	PLASTIC
Degree of protection (IP)	IP20
Colour	SREBRNY
Dimension (AxBxC)	68x7 mm
For use	Inside
Assembly method	On the ceiling
Application	INT
Made in	PRC
Other	Sensor range: 2 - 4m ,

Logistics data

Bulk packaging	50 pcs.
Gross weight (1 pcs.)	0.06 kg

Related documents

 Photometric file

