

CABINET

SLI040038NW

LED luminaire CABINET, with a power of 2,9 W. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Designed for surface mounting.



Power	2,9 W	Voltage	12 V
Luminous flux*	170 lm (120°)	Colour temperature	4000 K
Colour of light	Neutral white	Beam angle	120 °
Degree of protection (IP)	IP20		

Technical data

Code	SLI040038NW
Power	2,9 W
Nominal current	242 mA
Voltage	12 V
Energy efficiency class	G
Energy consumption	4 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	170 lm (120°)
Luminous flux**	170 lm (360°)
Lamp efficacy	58 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	120 °
RA	80
Uniformity of color SDCM max	5
Dimmable	Yes
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	PLASTIC
Degree of protection (IP)	IP20
Colour	SREBRNY
Dimension (AxBxC)	68x7 mm
For use	Inside
Assembly method	On the ceiling
Application	INT
Made in	PRC
Other	Sensor range: 2 - 4m ,

Logistics data

Bulk packaging	50 pcs.
Gross weight (1 pcs.)	0.063 kg

Related documents

 Photometric file

