



CABINET

SLI040038WW

LED luminaire CABINET, with a power of 2,9 W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed for surface mounting.



Power	2,9 W	Voltage	12 V
Luminous flux*	170 lm (120°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	120 °
Degree of protection (IP)	IP20		

Technical data

Code	SLI040038WW
Power	2,9 W
Nominal current	242 mA
Voltage	12 V
Energy efficiency class	G
Energy consumption	4 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	170 lm (120°)
Luminous flux**	170 lm (360°)
Lamp efficacy	58 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	120 °
RA	80
Uniformity of color SDCM max	5
Dimmable	Yes
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	PLASTIC
Degree of protection (IP)	IP20
Colour	SREBRNY
Dimension (AxBxC)	68x7 mm
For use	Inside
Assembly method	On the ceiling
Application	INT
Made in	PRC
Other	Sensor range: 2 - 4m ,

Related documents



 Photometric file

