

CABINET

SLI040038WW

LED luminaire CABINET, with a power of 2,9 W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed for surface mounting.



Power	2,9 W	Voltage	12 V
Luminous flux*	170 lm (120°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	120 °
Degree of protection (IP)	IP20		

Technical data

Code	SLI040038WW
Power	2,9 W
Nominal current	242 mA
Voltage	12 V
Energy efficiency class	G
Energy consumption	4 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	170 lm (120°)
Luminous flux**	170 lm (360°)
Lamp efficacy	58 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	120 °
RA	80
Uniformity of color SDCM max	5
Dimmable	Yes
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	PLASTIC
Degree of protection (IP)	IP20
Colour	SREBRNY
Dimension (AxBxC)	68x7 mm
For use	Inside
Assembly method	On the ceiling
Application	INT
Made in	PRC
Other	Sensor range: 2 - 4m ,

Related documents



 Photometric file

