

CABINET SWITCH

SLI028202_PW

Furniture luminaire CABINET SWITCH, with a power of 4 W, high light efficacy 120 lm/W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Designed for surface mounting.



Power	4 W	Voltage	230 V
Luminous flux*	480 lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	120 °
Degree of protection (IP)	IP20		

Technical data

Code	SLI028202_PW
Power	4 W
Nominal current	35 mA
Voltage	230 V
Energy consumption	4 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.5
Useful luminous flux*	480 lm (360°)
Luminous flux**	400 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	120 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	Plastic
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	312x25x36 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC
Other	Maks 25 sztuk w lini / Max 25 pcs per line ,

Logistics data

Bulk packaging	30 pcs.
Quantity per pallet	690 pcs.
Gross weight (1 pcs.)	0.17 kg

Related documents

 User manual Declaration of Conformity

