

LED GLS

WOJ+14488

LED source LED GLS 20 W with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 115 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier



Power	20 W	Voltage	230 V
Luminous flux**	2300 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	160 °
Socket	E27	Degree of protection (IP)	IP20

Technical data

Code	WQJ+14488
Power	20 W
Nominal current	165 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	20 kWh/1000h
Frequency	50HZ Hz
Power factor	0.5
Useful luminous flux*	2300 lm (360°)
Luminous flux**	2300 lm (360°)
Lamp efficacy	115 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	160 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	17000 h
Socket	E27
Degree of protection (IP)	IP20
Dimension (AxBxC)	65x132 mm
For use	Inside
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	1900 pcs.
Gross weight (1 pcs.)	0.089 kg

Related documents



 Declaration of Conformity

