

LED GLS

WOJ+13113

LED source LED GLS 15 W with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 100 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Wide beam angle 270° ensures even illumination of the room.



Power	15 W	Voltage	230 V
Luminous flux**	1500 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	270 °
Socket	E27		

Technical data

Code	WQJ+13113
Power	15 W
Nominal current	85 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	15 kWh/1000h
Frequency	50HZ Hz
Power factor	0.5
Useful luminous flux*	1500 lm (360°)
Luminous flux**	1500 lm (360°)
Lamp efficacy	100 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E27
Dimension (AxBxC)	60x122 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	1900 pcs.
Gross weight (1 pcs.)	0.054 kg

Related documents



Declaration of Conformity



Photometric file

