

LED AR111 GU10

WOJ+14565

LED source LED AR111 GU10 12 W with the popular GU10 mount. It is made of high-quality components, supported by a 5-year warranty. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Narrow beam angle 45° gives directional light so that selected objects or surfaces can be better exposed.



Power	12 W	Voltage	230 V
Luminous flux**	1250 lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	45 °
Socket	GU10		

Technical data

Code	WQJ+14565
Power	12 W
Nominal current	110 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	12 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.5
Useful luminous flux*	1100 lm (90°)
Luminous flux**	1250 lm (360°)
Lamp efficacy	92 lm/W
Luminous intensity	900 cd
Colour temperature	6000 K
Colour of light	CW
Beam angle	45 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	50000 h
Socket	GU10
Dimension (AxBxC)	111x74 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	40 pcs.
Quantity per pallet	960 pcs.
Gross weight (1 pcs.)	0.149 kg

Related documents



 Declaration of Conformity



 Photometric file

