

LED AR111 GU10

W0J+14568

LED source LED AR111 GU10 12 W with the popular GU10 mount. It is made of high-quality components, supported by a 5-year warranty. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 45° gives directional light so that selected objects or surfaces can be better exposed.



Power	12 W	Voltage	230 V
Luminous flux**	1200 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	45 °
Socket	GU10		

Technical data

Code	WQJ+14568
Power	12 W
Nominal current	110 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	12 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.5
Useful luminous flux*	1050 lm (90°)
Luminous flux**	1200 lm (360°)
Lamp efficacy	88 lm/W
Luminous intensity	900 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	45 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	50000 h
Socket	GU10
Dimension (AxBxC)	111x74 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	40 pcs.
Quantity per pallet	960 pcs.
Gross weight (1 pcs.)	0.149 kg

Related documents



 Declaration of Conformity



 Photometric file

