



LED CANDLE

WOJ+14070

LED source LED CANDLE 2 W with E-14 base and with a 'candle' shape'. The unique design of the decorative MODERNSHINE series creates a warm atmospheric light effect, creating a pleasant atmosphere and mood lighting. It is characterised by a high light efficacy 130 lm/W. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Wide beam angle 300° ensures even illumination of the room.



Power	2 W
Luminous flux**	260 lm (360°)
Colour of light	WW
Socket	E14

Voltage	230 V
Colour temperature	2400 K
Beam angle	300 °

Technical data

Code	WQJ+14070
Power	2 W
Nominal current	20 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	2 kWh/1000h
Frequency	50HZ Hz
Power factor	0.4
Useful luminous flux*	260 lm (360°)
Luminous flux**	260 lm (360°)
Lamp efficacy	130 lm/W
Colour temperature	2400 K
Colour of light	WW
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	E14
Dimension (AxBxC)	35x100 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	7000 pcs.
Gross weight (1 pcs.)	0.022 kg

Related documents



 Declaration of Conformity

