

# LED CANDLE

WOJ+14453

LED source LED CANDLE 1 W with E-14 base and with a 'candle' shape'. It is extremely economical to operate - their power output is 1 W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Wide beam angle 270° ensures even illumination of the room.



|                 |                     |
|-----------------|---------------------|
| Power           | <b>1 W</b>          |
| Luminous flux** | <b>90 lm (360°)</b> |
| Colour of light | <b>CW</b>           |
| Socket          | <b>E14</b>          |

|                    |               |
|--------------------|---------------|
| Voltage            | <b>230 V</b>  |
| Colour temperature | <b>6000 K</b> |
| Beam angle         | <b>270 °</b>  |

## Technical data

|                              |              |
|------------------------------|--------------|
| Code                         | WQJ+14453    |
| Power                        | 1 W          |
| Nominal current              | 30 mA        |
| Voltage                      | 230 V        |
| Energy efficiency class      | F            |
| Energy consumption           | 1 kWh/1000h  |
| Frequency                    | 50HZ Hz      |
| Useful luminous flux*        | 90 lm (360°) |
| Luminous flux**              | 90 lm (360°) |
| Lamp efficacy                | 90 lm/W      |
| Colour temperature           | 6000 K       |
| Colour of light              | CW           |
| Beam angle                   | 270 °        |
| RA                           | 80           |
| Uniformity of color SDCM max | 5            |
| Dimmable                     | No           |
| Working temperature range    | -20/+40 °    |
| Warranty                     | 2 years      |
| Lifespan                     | 17000 h      |
| (On/Off)                     | 15000        |
| Socket                       | E14          |
| Dimension (AxBxC)            | ø37x97 mm    |
| For use                      | Inside       |
| Made in                      | PRC          |

## Logistics data

|                       |           |
|-----------------------|-----------|
| Bulk packaging        | 100 pcs.  |
| Quantity per pallet   | 6000 pcs. |
| Gross weight (1 pcs.) | 0.02 kg   |

