

LED CANDLE

WQJ+14456

LED source LED CANDLE 1 W with E-27 base and with a 'candle' shape'. It is characterised by a high light efficacy 100 lm/W. It is extremely economical to operate - their power output is 1 W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Wide beam angle 270° ensures even illumination of the room.



Power	1 W
Luminous flux**	100 lm (360°)
Colour of light	CW
Socket	E27

Voltage	230 V
Colour temperature	6000 K
Beam angle	270 °

Technical data

Code	WQJ+14456
Power	1 W
Nominal current	30 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	1 kWh/1000h
Frequency	50HZ Hz
Useful luminous flux*	100 lm (360°)
Luminous flux**	100 lm (360°)
Lamp efficacy	100 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	E27
Dimension (AxBxC)	ø37x98 mm
For use	N/A
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	6000 pcs.
Gross weight (1 pcs.)	0.023 kg

Related documents



 Declaration of Conformity

