

LED CANDLE

WOJ+14456

LED source LED CANDLE 1 W with E-27 base and with a 'candle' shape'. It is characterised by a high light efficacy 100 lm/W. It is extremely economical to operate - their power output is 1 W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Wide beam angle 270° ensures even illumination of the room.



Power	1 W	Voltage	230 V
Luminous flux**	100 lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	270 °
Socket	E27		

Technical data

Code	WQJ+14456
Power	1 W
Nominal current	30 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	1 kWh/1000h
Frequency	50HZ Hz
Useful luminous flux*	100 lm (360°)
Luminous flux**	100 lm (360°)
Lamp efficacy	100 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E27
Dimension (AxBxC)	ø37x98 mm
For use	N,A
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	6000 pcs.
Gross weight (1 pcs.)	0.023 kg

Related documents



 Declaration of Conformity

