


LED G9

WQJ+13063

LED source LED G9 2,5 W. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in decorative luminaires, furniture fittings, and wall sconces equipped with a G9 base.. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier



Power	2,5 W
Luminous flux**	190 lm (360°)
Colour of light	WW
Socket	G9

Voltage	230 V
Colour temperature	3000 K
Beam angle	100 °

Technical data

Code	WQJ+13063
Power	2,5 W
Nominal current	20 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	3 kWh/1000h
Frequency	50HZ Hz
Power factor	0.4
Useful luminous flux*	190 lm (120°)
Luminous flux**	190 lm (360°)
Lamp efficacy	76 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	100 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	G9
Dimension (AxBxC)	17x54 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	500 pcs.
Quantity per pallet	15000 pcs.
Gross weight (1 pcs.)	0.015 kg

Related documents



 Declaration of Conformity



 Photometric file

