


LED GLS

W0J+14468

LED source LED GLS 2,5 W with E-27 base and with the shape of a traditional light bulb. The unique and incomparable design of the decorative MODERNSHINE series, featuring black iridescence and a 'smoked glass' effect, creates an intimate ambiance and atmospheric lighting. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Wide beam angle 300° ensures even illumination of the room.



Power	2,5 W
Luminous flux**	150 lm (360°)
Colour of light	Neutral white
Socket	E27

Voltage	230 V
Colour temperature	4000 K
Beam angle	300 °

Technical data

Code	WQJ+14468
Power	2,5 W
Nominal current	20 mA
Voltage	230 V
Energy efficiency class	G
Energy consumption	3 kWh/1000h
Frequency	50HZ Hz
Power factor	0,5
Useful luminous flux*	150 lm (360°)
Luminous flux**	150 lm (360°)
Lamp efficacy	60 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	E27
Dimension (AxBxC)	60x107 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	1500 pcs.
Gross weight (1 pcs.)	0.05 kg

Related documents



 Declaration of Conformity

