

# LED GLS

W0J+13897

LED source LED GLS 7 W with E-27 base and with the shape of a traditional light bulb. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Wide beam angle 270° ensures even illumination of the room.



|                 |                      |                    |               |
|-----------------|----------------------|--------------------|---------------|
| Power           | <b>7 W</b>           | Voltage            | <b>230 V</b>  |
| Luminous flux** | <b>610 lm (360°)</b> | Colour temperature | <b>4000 K</b> |
| Colour of light | <b>Neutral white</b> | Beam angle         | <b>270 °</b>  |
| Socket          | <b>E27</b>           |                    |               |

## Technical data

|                              |               |
|------------------------------|---------------|
| Code                         | WQJ+13897     |
| Power                        | 7 W           |
| Nominal current              | 60 mA         |
| Voltage                      | 230 V         |
| Energy efficiency class      | F             |
| Energy consumption           | 7 kWh/1000h   |
| Frequency                    | 50HZ Hz       |
| Power factor                 | 0.5           |
| Useful luminous flux*        | 610 lm (360°) |
| Luminous flux**              | 610 lm (360°) |
| Lamp efficacy                | 87 lm/W       |
| Colour temperature           | 4000 K        |
| Colour of light              | Neutral white |
| Beam angle                   | 270 °         |
| RA                           | 80            |
| Uniformity of color SDCM max | 5             |
| Dimmable                     | No            |
| Working temperature range    | -20 / +40 °   |
| Warranty                     | 2 years       |
| Lifespan                     | 17000 h       |
| (On/Off)                     | 15000         |
| Socket                       | E27           |
| Dimension (AxBxC)            | 60x108 mm     |
| For use                      | Inside        |
| Application                  | INT           |
| Made in                      | PRC           |

## Logistics data

|                       |           |
|-----------------------|-----------|
| Bulk packaging        | 100 pcs.  |
| Quantity per pallet   | 2500 pcs. |
| Gross weight (1 pcs.) | 0.046 kg  |

## Related documents

 Declaration of Conformity Photometric file

