

LED GLS

WOJ+14263

LED source LED GLS 15 W with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 107 lm/W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Wide beam angle 270° ensures even illumination of the room.



Power	15 W
Luminous flux**	1600 lm (360°)
Colour of light	CW
Socket	E27

Voltage	230 V
Colour temperature	6000 K
Beam angle	270 °

Technical data

Code	WQJ+14263
Power	15 W
Nominal current	85 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	15 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.5
Useful luminous flux*	1600 lm (360°)
Luminous flux**	1600 lm (360°)
Lamp efficacy	107 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	E27
Dimension (AxBxC)	60x122 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	1900 pcs.
Gross weight (1 pcs.)	0.054 kg

Related documents



Declaration of Conformity



Photometric file

