


LED R-50

W0J+13988_6W

LED source LED R-50 6 W with E-14 base and with a 'candle' shape'. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities.



Power	6 W
Luminous flux**	485 lm (360°)
Colour of light	Neutral white
Socket	E14

Voltage	230 V
Colour temperature	4000 K
Beam angle	120 °

Technical data

Code	WQJ+13988_6W
Power	6 W
Nominal current	45 mA
Voltage	230 V
Energy efficiency class	G
Energy consumption	6 kWh/1000h
Frequency	50HZ Hz
Power factor	0.7
Useful luminous flux*	485 lm (360°)
Luminous flux**	485 lm (360°)
Lamp efficacy	81 lm/W
Luminous intensity	120 cd
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	120 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	E14
Dimension (AxBxC)	50X82 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Quantity per pallet	3500 pcs.
Gross weight (1 pcs.)	0.037 kg

Related documents



 Declaration of Conformity

