

LED TUBE

WQJ+22306_20W

LED TUBE 20 W with G13 socket. It is characterised by a high light efficacy 120 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Wide beam angle 270° ensures even illumination of the room.



Power	20 W	Voltage	230 V
Luminous flux**	2300 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	270 °
Socket	G13		

Technical data

Code	WQJ+22306_20W
Power	20 W
Nominal current	150 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	20 kWh/1000h
Frequency	50HZ Hz
Power factor	0.6
Useful luminous flux*	2300 lm (360°)
Luminous flux**	2300 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	G13
Dimension (AxBxC)	28X1500 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	25 pcs.
Quantity per pallet	1125 pcs.
Gross weight (1 pcs.)	0.227 kg

Related documents



 Declaration of Conformity

