

LED TUBE

W0J+22386_24W

LED TUBE 24 W with G13 socket. It is characterised by a high light efficacy 146 lm/W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Wide beam angle 270° ensures even illumination of the room.



Power	24 W
Luminous flux**	3500 lm (360°)
Colour of light	CW
Socket	G13

Voltage	230 V
Colour temperature	6000 K
Beam angle	270 °

Technical data

Code	W0J+22386_24W
Power	24 W
Nominal current	155 mA
Voltage	230 V
Energy efficiency class	D
Energy consumption	24 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.97
Useful luminous flux*	3500 lm (360°)
Luminous flux**	3500 lm (360°)
Lamp efficacy	146 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	3 years
Lifespan	26000 h
(On/Off)	15000
Socket	G13
Dimension (AxBxC)	28X1500 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	25 pcs.
Quantity per pallet	800 pcs.
Gross weight (1 pcs.)	0.348 kg

Related documents

 User manual Declaration of Conformity Photometric file

