

NOCTIS SOLARIS MINI

SLI050001

LED luminaire NOCTIS SOLARIS MINI, with a power of 2 W. It has a very high degree of protection IP65, providing protection against the ingress of dust and water jets. It shines with a cold light (6000K). Designed for surface mounting.

IP65



Power **2 W**
Colour temperature **6000 K**
Beam angle **110 °**

Voltage **3.7 V**
Colour of light **CW**
Degree of protection (IP) **IP65**

Technical data

Code	SLI050001
Power	2 W
Voltage	3.7 V
Protection class	III
Luminous flux**	200 lm (360°)
Colour temperature	6000 K
Colour of light	CW
Beam angle	110 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
Housing material	Plastic+Glass
Degree of protection (IP)	IP65
Colour	Black
Dimension (AxBxC)	145x175x30 mm
For use	Outside
Assembly method	On the ceiling
Application	EXT
Made in	PRC
Other	Light sensor, PIR sensor, Sensor distance: 3-5m ,

Logistics data

Bulk packaging	20 pcs.
Quantity per pallet	1000 pcs.
Gross weight (1 pcs.)	0.33 kg



Related documents

 User manual Declaration of Conformity

