


NYMPHEA BLACK & WHITE

SLI031035NW_PW

Plafond NYMPHEA BLACK & WHITE, with a power of 24 W, high light efficacy 117 lm/W. It has a high IP54 rating, making it ideal for use in rooms with high humidity. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Designed for surface mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.

IP54


Power	24 W	Voltage	230 V
Luminous flux*	2800 lm (360°)	Colour temperature	4000 K
Colour of light	Neutral white	Beam angle	115 °
Degree of protection (IP)	IP54		

Technical data

Code	SLI031035NW_PW
Power	24 W
Nominal current	175 mA
Voltage	230 V
Energy consumption	24 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.6
Useful luminous flux*	2800 lm (360°)
Luminous flux**	1750 lm (360°)
Lamp efficacy	117 lm/W
Luminous intensity	1050 cd
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	320x52 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC

Logistics data

Bulk packaging	20 pcs.
Quantity per pallet	160 pcs.
Gross weight (1 pcs.)	0.551 kg



Related documents

 User manual Declaration of Conformity Photometric file

