

NYMPHEA PROXI

SLI031043WW_PW

LED luminaire NYMPHEA PROXI, with a power of 18 W. It has a high IP54 rating, making it ideal for use in rooms with high humidity. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed for surface mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.

IP54

Power	18 W	Voltage	230 V
Luminous flux*	2000 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	120 °
Degree of protection (IP)	IP54		

Technical data

Code	SLI031043WW_PW
Power	18 W
Nominal current	130 mA
Voltage	230 V
Energy consumption	18 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.6
Useful luminous flux*	2000 lm (360°)
Luminous flux**	1600 lm (360°)
Colour temperature	3000 K
Colour of light	WW
Beam angle	120 °
RA	80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Warranty	2 years
Lifespan	17000 h
Housing material	PP (POLIPROPYLEN)
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	300x60 mm
For use	Inside/Outside
Assembly method	On the ceiling
Application	INT / EXT
Made in	PRC
Other	Czujnik PIR (ruch + światło) ,

Logistics data

Bulk packaging	10 pcs.
Quantity per pallet	120 pcs.
Gross weight (1 pcs.)	0.72 kg



Related documents

 User manual Declaration of Conformity Photometric file 3D model



Regulacja czujnika ruchu PIR
Adjustable PIR motion sensor



Czujnik zmiernictwa
Daylight sensor

A1-4	1
B1-4	Disable

Zakres wykrywania
Detection area

2	100%	A2
2	50%	B2

Czas świecenia
Hold time

3	4
20 s	B3
30 s	A3
60 s	B3
90 s	A3

