


VIGA

SLI045008WW_PW

Linear luminaire VIGA, with a power of 35 W, high light efficacy 120 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Suitable for both surface and suspended mounting.



Power	35 W	Voltage	230 V
Luminous flux*	4200 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	120 °
Degree of protection (IP)	IP20		

Technical data

Logistics data

Code	SLI045008WW_PW
Power	35 W
Nominal current	165 mA
Voltage	230 V
Energy consumption	35 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.95
Useful luminous flux*	4200 lm (360°)
Luminous flux**	3400 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	120 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	PC
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	76x1500x26 mm
For use	Inside
Assembly method	On the ceiling, Suspended
Application	Inside
Made in	PRC

Bulk packaging	25 pcs.
Quantity per pallet	325 pcs.
Gross weight (1 pcs.)	0.42 kg

Related documents

 User manual Declaration of Conformity Photometric file

